
Percent Fill

Campus Classrooms - Spring 2010

BUILDING NAME / CODE	ROOM	COURSE SECTION	ENROLL	CAP	% FILL
----------------------	------	----------------	--------	-----	--------

A L GROSS INDUSTRY & TEC

110	4336	001	21	30	70%
110	4348	001	27	30	90%
110	4353	800	23	30	77%
110	4332	800	22	30	73%
110	3321	800	17	30	57%
110	2301	001	25	30	83%
110	3313	800	22	30	73%
110	5306	003	7	30	23%
111	5332	600	9	30	30%
111	5335	800	41	30	137%
111	3315	002	25	30	83%
111	2320	001	19	30	63%
111	3315	001	20	30	67%
111	3300	001	25	30	83%
111	5305	001	6	30	20%
111	1201	800	15	30	50%

Number of. Rooms for This Building = 16

A L KLEBERG HALL

147	4361	001	12	26	46%
147	4361	100	12	26	46%
147	5306	800	1	26	4%
147	5361	800	31	26	119%
149	5305	001	2	94	2%
149	3380	001	43	94	46%
149	1304	001	48	94	51%
149	5306	002	4	94	4%
149	4383	001	37	94	39%
149	3302	001	13	94	14%
149	2330	001	55	94	59%
149	1303	001	72	94	77%

BUILDING NAME / CODE	ROOM	COURSE	SECTION	ENROLL	CAP	% FILL
----------------------	------	--------	---------	--------	-----	--------

	149	5306	001	6	94	6%
--	-----	------	-----	---	----	----

Number of Rooms for This Building = 13

BIOLOGY-EARTH SCIENCE H

	100	4102	002	16	340	5%
	100	4425	001	33	340	10%
	100	3402	HRL	3	340	1%
	100	1307	001	78	340	23%
	100	4304	001	9	340	3%
	100	4102	001	13	340	4%
	100	3402	100	24	340	7%
	100	2402	001	68	340	20%
	100	1307	002	35	340	10%
	100	1306	002	81	340	24%
	100	1306	001	89	340	26%
	100	2421	001	62	340	18%
	100	2401	001	77	340	23%
	100	5402	001	3	340	1%
	202	5402	103	2	32	6%
	202	4427	100	13	32	41%
	202	5305	001	1	32	3%
	202	5320	001	4	32	13%
	202	4401	001	19	32	59%
	202	4401	HR1	1	32	3%
	208	1307	HR1	27	64	42%
	208	3407	HR1	1	64	2%
	208	1201	001	15	64	23%
	208	3402	001	49	64	77%
	208	1306	010	18	64	28%
	208	1306	008	18	64	28%
	208	5402	003	2	64	3%
	208	1306	007	17	64	27%
	208	1306	009	18	64	28%
	208	5402	005	2	64	3%
	208	2375	001	16	64	25%
	208	1306	011	18	64	28%

BUILDING NAME / CODE	ROOM	COURSE	SECTION	ENROLL	CAP	% FILL
	208	1306	004	18	64	28%
	208	4410	001	11	64	17%
	208	1306	006	16	64	25%
	208	1306	003	17	64	27%
	208	3403	001	48	64	75%
	208	3402	HR1	3	64	5%
	208	1306	005	19	64	30%
	208	1306	012	11	64	17%
	208	3407	001	11	64	17%
	208	4427	001	13	64	20%
	210	5104	001	13	64	20%
	210	1307	008	14	64	22%
	210	4426	001	13	64	20%
	210	4355	001	37	64	58%
	210	1307	HL2	17	64	27%
	210	5302	002	5	64	8%
	210	1307	003	18	64	28%
	210	4355	HR1	1	64	2%
	210	1307	007	18	64	28%
	210	1307	004	17	64	27%
	210	3301	001	37	64	58%
	210	3408	001	15	64	23%
	210	1307	005	18	64	28%
	210	1307	006	18	64	28%
	210	1307	HL1	10	64	16%
	210	5302	003	3	64	5%
	210	4355	002	12	64	19%
	210	4355	003	7	64	11%
	210	5402	004	3	64	5%
	210	1307	010	9	64	14%

Number of Rooms for This Building = 62

BUSINESS ADMINISTRATION

	104	3315	001	2	33	6%
	104	5329	001	4	33	12%
	104	4325	001	25	33	76%

BUILDING NAME / CODE	ROOM	COURSE	SECTION	ENROLL	CAP	% FILL
	104	4325	002	15	33	45%
	104	4342	001	14	33	42%
	202	1301	001	27	53	51%
	202	5320	800	10	53	19%
	202	1310	001	22	53	42%
	202	1301	004	26	53	49%
	202	3358	001	39	53	74%
	202	2302	001	28	53	53%
	202	1301	003	29	53	55%
	202	4308	001	6	53	11%
	202	4359	001	3	53	6%
	202	3367	001	7	53	13%
	208	3355	001	32	52	62%
	208	4358	001	8	52	15%
	208	3356	001	21	52	40%
	208	1301	001	29	52	56%
	208	3311	001	48	52	92%
	208	3321	800	20	52	38%
	208	2304	002	28	52	54%
	208	3321	001	13	52	25%
	208	4303	001	9	52	17%
	208	3361	001	42	52	81%
	209	2374	001	61	82	74%
	209	1301	800	72	82	88%
	209	4350	001	11	82	13%
	209	1301	001	76	82	93%
	209	1201	001	25	82	30%
	209	2374	002	61	82	74%
	209	3322	800	13	82	16%
	209	2374	HR1	1	82	1%
	209	3301	001	23	82	28%
	209	4328	001	35	82	43%
	227	3355	800	29	76	38%
	227	3337	001	40	76	53%
	227	3304	001	16	76	21%
	227	5331	800	5	76	7%

BUILDING NAME / CODE	ROOM	COURSE	SECTION	ENROLL	CAP	% FILL
	227	2304	003	29	76	38%
	227	1301	002	49	76	64%
	227	2302	800	30	76	39%
	227	4331	001	45	76	59%
	227	4336	001	9	76	12%
	227	3304	001	46	76	61%
	227	2301	002	54	76	71%
	227	2302	001	42	76	55%
	228	2301	002	20	51	39%
	228	2301	001	21	51	41%
	228	3305	001	24	51	47%
	228	3304	800	26	51	51%
	228	3314	001	14	51	27%
	228	4307	001	23	51	45%
	228	5337	800	6	51	12%
	228	3304	001	32	51	63%
	228	4314	001	20	51	39%
	228	5322	800	7	51	14%
	228	3362	800	20	51	39%
	228	2302	001	41	51	80%
	228	2302	002	29	51	57%
	228	2301	003	40	51	78%
	229	2304	001	28	51	55%
	229	5327	800	5	51	10%
	229	5308	800	9	51	18%
	229	4332	001	8	51	16%
	229	2301	001	40	51	78%
	229	1301	003	36	51	71%
	229	5335	800	7	51	14%
	229	5341	800	6	51	12%
	229	4344	001	15	51	29%
	229	3312	001	23	51	45%
	229	3333	001	11	51	22%
	229	3341	001	32	51	63%
	229	4312	800	4	51	8%
	229	4305	800	17	51	33%

BUILDING NAME / CODE	ROOM	COURSE	SECTION	ENROLL	CAP	% FILL
----------------------	------	--------	---------	--------	-----	--------

Number of. Rooms for This Building = 75

DRAMA/ART BUILDING

102	1311		006	25	50	50%
102	3331		001	26	50	52%
102	1311		800	25	50	50%
102	1311		005	25	50	50%
102	1311		004	26	50	52%
102	2342		001	25	50	50%
102	1311		001	26	50	52%
103	1315		001	25	32	78%
103	1311		008	25	32	78%
103	1311		007	25	32	78%
103	1311		003	25	32	78%
103	1311		010	25	32	78%
103	1311		002	24	32	75%
103	1311		009	26	32	81%

Number of. Rooms for This Building = 14

ENGINEERING COMPLEX

104	5361		001	15	36	42%
104	4316		001	4	36	11%
104	5314		800	10	36	28%
104	4362		001	8	36	22%
104	3321		002	14	36	39%
104	2328		001	21	36	58%
104	5306		005	1	36	3%
104	5305		002	5	36	14%
104	2304		001	16	36	44%
104	5305		802	1	36	3%
104	4345		001	14	36	39%
104	4311		001	26	36	72%
104	3321		001	17	36	47%
104	3347		001	6	36	17%
104	5305		001	5	36	14%
106	5326		001	11	32	34%

BUILDING NAME / CODE	ROOM	COURSE SECTION	ENROLL	CAP	% FILL
	106	1320 101	22	32	69%
	106	2310 001	7	32	22%
	106	1201 101	4	32	13%
	106	4317 001	28	32	88%
	106	1201 002	4	32	13%
	106	6315 800	12	32	38%
	106	5305 800	2	32	6%
	106	5305 001	6	32	19%
	106	4385 001	12	32	38%
	106	1201 100	8	32	25%
	106	5306 800	1	32	3%
	106	1201 001	8	32	25%
	106	3344 001	25	32	78%
	107	3449 001	21	32	66%
	107	5314 800	10	32	31%
	107	3331 001	29	32	91%
	107	3315 001	26	32	81%
	107	3324 001	20	32	63%
	107	5324 001	8	32	25%
	107	3212 001	23	32	72%
	107	5303 003	19	32	59%
	107	5334 001	7	32	22%
	107	5360 001	9	32	28%
	107	2325 001	21	32	66%
	107	4264 100	40	32	125%
	107	5360 001	3	32	9%
	107	5305 001	11	32	34%
	107	5306 801	11	32	34%
	109	3347 001	24	28	86%
	109	5305 801	3	28	11%
	109	5325 001	19	28	68%
	109	5303 006	12	28	43%
	109	5306 802	8	28	29%
	109	5305 002	1	28	4%
	110	2355 001	30	50	60%
	110	5336 001	11	50	22%

BUILDING NAME / CODE	ROOM	COURSE SECTION	ENROLL	CAP	% FILL
	110	4341 001	37	50	74%
	110	5306 001	3	50	6%
	110	5321 001	17	50	34%
	110	2302 001	27	50	54%
	110	5337 001	8	50	16%
	110	5305 003	3	50	6%
	110	4355 001	20	50	40%
	110	5303 001	15	50	30%
	110	4279 001	2	50	4%
	110	3392 001	28	50	56%
	110	3371 001	25	50	50%
	110	2302 002	25	50	50%
	110	4336 001	7	50	14%
	113	4264 001	41	40	103%
	113	2323 001	24	40	60%
	113	5345 001	6	40	15%
	113	2340 001	29	40	73%
	113	5306 803	6	40	15%
	113	4366 001	6	40	15%
	113	5305 800	11	40	28%
	113	5321 001	18	40	45%
	113	5401 800	19	40	48%
	113	3350 001	24	40	60%
	113	3331 001	41	40	103%
	113	5303 001	13	40	33%
	113	5305 004	8	40	20%
	113	1310 002	16	40	40%
	113	4336 002	20	40	50%
	113	5305 001	16	40	40%
	113	5303 001	40	40	100%
	113	3333 001	27	40	68%
	136	5305 002	30	40	75%
	136	5303 004	5	40	13%
	136	4336 001	19	40	48%
	136	3317 001	43	40	108%
	136	5306 001	13	40	33%

BUILDING NAME / CODE	ROOM	COURSE	SECTION	ENROLL	CAP	% FILL
	136	5311	800	11	40	28%
	136	3303	001	2	40	5%
	136	5303	002	6	40	15%
	136	4343	001	4	40	10%
	136	5321	800	8	40	20%
	136	3303	001	31	40	78%
	138	4392	001	28	40	70%
	138	4329	001	16	40	40%
	138	5350	001	8	40	20%
	138	5314	001	7	40	18%
	138	2301	001	33	40	83%
	138	3348	001	35	40	88%
	138	5303	800	11	40	28%
	138	5318	800	18	40	45%
	138	4392	100	27	40	68%
	138	5312	001	6	40	15%
	220	1320	001	8	22	36%
	220	4202	001	2	22	9%
	220	1310	001	17	22	77%
	275	5310	001	7	60	12%
	275	5325	001	18	60	30%
	275	5325	002	12	60	20%
	275	5305	002	10	60	17%
	275	5330	001	46	60	77%
	275	5333	002	8	60	13%
	275	5333	001	21	60	35%
	275	6102	800	14	60	23%
	275	2372	001	53	60	88%
	275	4335	001	2	60	3%

Number of. Rooms for This Building = 117

G E STEINKE PHYSICAL ED C

	102	1301	002	30	30	100%
	102	3345	001	26	30	87%
	102	1308	001	30	30	100%
	102	1301	001	30	30	100%

BUILDING NAME / CODE	ROOM	COURSE	SECTION	ENROLL	CAP	% FILL
	102	3345	001	26	30	87%
	102	5338	800	6	30	20%
	102	2324	001	25	30	83%
	121	2325	900	23	25	92%
	121	4344	900	26	25	104%
	121	1111	001	14	25	56%
	121	1254	900	18	25	72%
	121	1254	901	22	25	88%
	121	2124	001	20	25	80%
	122	2128	001	12	40	30%
	123	1130	002	10	40	25%
	123	1300	001	26	40	65%
	123	1300	002	30	40	75%
	123	1301	003	30	40	75%
	123	2335	002	23	40	58%
	123	4623	001	7	40	18%
	123	2335	001	25	40	63%
	123	1130	001	12	40	30%
	192	1109	800	8	32	25%
	192	1110	800	6	32	19%

Number of. Rooms for This Building = 24

HEALTH AND RECREATION B

	102	4329	001	19	40	48%
	102	5333	801	7	40	18%
	102	5333	800	10	40	25%
	102	3341	001	10	40	25%
	102	4315	001	22	40	55%
	102	4342	001	24	40	60%
	102	5305	800	4	40	10%
	102	4325	001	25	40	63%
	102	4324	001	17	40	43%
	102	4328	001	14	40	35%
	202	3326	001	24	47	51%
	202	2326	900	20	47	43%
	202	3320	001	30	47	64%

BUILDING NAME / CODE	ROOM	COURSE	SECTION	ENROLL	CAP	% FILL
	202	3352	001	26	47	55%
	202	1105	001	17	47	36%
	202	2326	901	27	47	57%
	202	4432	001	4	47	9%
	202	1119	001	19	47	40%
	202	3332	900	27	47	57%
	202	4327	001	6	47	13%

Number of Rooms for This Building = 20

HUMAN SCIENCES

103	3352	001	10	30	33%
103	5306	001	1	30	3%
103	3353	001	14	30	47%
103	4666	001	12	30	40%
103	6999	003	8	30	27%
103	6372	001	10	30	33%
103	6390	001	21	30	70%
103	1300	001	22	30	73%
103	2322	001	27	30	90%
111	5320	600	11	20	55%
111	5305	001	1	20	5%
111	6999	002	8	20	40%
111	3320	001	20	20	100%
111	4370	800	14	20	70%
111	5390	001	2	20	10%
111	4390	001	4	20	20%
111	4323	400	7	20	35%
111	5390	003	4	20	20%
111	6390	400	8	20	40%
111	4323	800	14	20	70%
111	3320	400	6	20	30%
111	5351	001	11	20	55%
111	4323	100	21	20	105%
111	4312	400	10	20	50%
111	4370	400	18	20	90%
111	3320	100	20	20	100%

BUILDING NAME / CODE	ROOM	COURSE	SECTION	ENROLL	CAP	% FILL
	111	3320	800	16	20	80%
	111	4312	800	20	20	100%
	111	3332	100	15	20	75%
	111	3332	001	15	20	75%
	125	3320	100	22	60	37%
	125	4330	001	12	60	20%
	125	3390	002	38	60	63%
	125	4351	001	14	60	23%
	125	5305	001	3	60	5%
	125	5306	002	12	60	20%
	125	3305	001	18	60	30%
	125	6999	004	8	60	13%
	125	4382	001	31	60	52%
	125	3340	001	22	60	37%
	125	5305	001	7	60	12%
	125	3330	001	13	60	22%

Number of. Rooms for This Building = 42

J L BELLAMAH MUSIC BUILD

	115	3220	004	4	20	20%
	115	2220	010	4	20	20%
	115	2220	007	2	20	10%
	115	1120	020	2	20	10%
	115	1195	002	16	20	80%
	115	3220	007	7	20	35%
	115	3210	819	1	20	5%
	115	1220	819	2	20	10%
	115	4307	001	13	20	65%
	115	3210	007	2	20	10%
	115	1120	017	2	20	10%
	115	2210	020	1	20	5%
	115	1220	017	1	20	5%
	115	2220	009	1	20	5%
	115	2308	001	26	20	130%
	115	2220	004	5	20	25%
	115	3220	020	1	20	5%

BUILDING NAME / CODE	ROOM	COURSE	SECTION	ENROLL	CAP	% FILL
	115	4220	013	1	20	5%
	115	2220	006	1	20	5%
	115	1220	004	2	20	10%
	115	1210	021	1	20	5%
	115	3220	002	1	20	5%
	115	4220	003	3	20	15%
	115	1220	012	1	20	5%
	115	1210	012	2	20	10%
	115	1210	010	1	20	5%
	115	1220	010	2	20	10%
	115	1120	013	1	20	5%
	115	1120	016	9	20	45%
	115	1120	015	3	20	15%
	115	2220	013	1	20	5%
	115	1220	011	1	20	5%
	115	2220	011	3	20	15%
	115	3220	008	1	20	5%
	115	4220	010	3	20	15%
	115	3210	011	2	20	10%
	115	2306	001	26	20	130%
	115	2220	002	1	20	5%
	115	4220	007	2	20	10%
	115	4220	011	1	20	5%
	115	4220	006	1	20	5%
	115	1120	014	3	20	15%
	115	1120	004	1	20	5%
	115	1220	014	5	20	25%
	115	2220	014	1	20	5%
	115	1220	013	3	20	15%
	115	4220	002	1	20	5%
	115	2220	012	1	20	5%
	115	1120	008	2	20	10%
	115	4308	001	22	20	110%
	115	2220	001	1	20	5%
	115	1110	018	1	20	5%
	115	1120	005	1	20	5%

BUILDING NAME / CODE	ROOM	COURSE	SECTION	ENROLL	CAP	% FILL
	115	1220	002	4	20	20%
	115	1120	002	3	20	15%
	115	1120	001	2	20	10%
	115	1110	016	5	20	25%
	115	1110	013	1	20	5%
	115	1110	009	1	20	5%
	115	2220	003	1	20	5%
	115	1110	002	1	20	5%
	115	3220	009	1	20	5%
	115	1120	007	2	20	10%
	115	4210	009	1	20	5%
	115	2220	005	3	20	15%
	115	1174	001	14	20	70%
	115	3220	003	3	20	15%
	115	1120	018	1	20	5%
	115	1110	004	2	20	10%
	115	3220	010	7	20	35%
	115	3220	011	3	20	15%
	115	3220	014	1	20	5%
	115	1132	003	18	20	90%
	115	4210	007	2	20	10%
	115	4220	005	1	20	5%
	115	2220	019	1	20	5%
	115	4220	004	2	20	10%
	115	5305	800	2	20	10%
	115	1220	008	2	20	10%
	115	2210	015	1	20	5%
	115	2210	005	1	20	5%
	115	2210	004	1	20	5%
	115	1220	015	2	20	10%
	115	3220	001	1	20	5%
	115	3220	015	1	20	5%
	115	2220	017	1	20	5%
	115	1220	005	2	20	10%
	115	3210	009	1	20	5%
	115	1210	002	1	20	5%

BUILDING NAME / CODE	ROOM	COURSE	SECTION	ENROLL	CAP	% FILL
	115	1120	009	4	20	20%
	115	1220	009	1	20	5%
	115	3210	008	1	20	5%
	115	1120	011	1	20	5%
	115	1220	018	4	20	20%
	118	1189	001	16	30	53%
	118	2310	001	30	30	100%
	118	1157	001	14	30	47%
	118	1316	001	32	30	107%
	118	1189	002	10	30	33%
	118	1116	001	18	30	60%
	118	1151	001	14	30	47%
	118	1132	002	29	30	97%
	118	1163	001	10	30	33%
	118	1166	001	15	30	50%
	220	3314	001	16	26	62%
	220	4230	009	1	26	4%
	220	4230	010	1	26	4%
	220	2317	001	25	26	96%
	220	3132	002	9	26	35%
	220	4230	002	2	26	8%
	220	1317	001	28	26	108%
	220	4230	007	2	26	8%
	220	1117	003	20	26	77%
	220	2117	001	19	26	73%
	220	2310	002	30	26	115%
	220	5210	004	1	26	4%
	220	4230	011	1	26	4%
	220	5220	004	1	26	4%
	220	1117	001	20	26	77%
	220	4230	003	1	26	4%
	220	4318	001	11	26	42%
	220	4230	005	2	26	8%
	223	2410	003	1	27	4%
	223	2301	001	25	27	93%
	223	2410	019	1	27	4%

BUILDING NAME / CODE	ROOM	COURSE	SECTION	ENROLL	CAP	% FILL
	223	3420	004	1	27	4%
	223	1201	003	24	27	89%
	223	4420	011	1	27	4%
	223	2316	001	15	27	56%
	223	2116	001	13	27	48%
	223	2301	002	29	27	107%
	223	4420	007	1	27	4%
	223	4420	012	1	27	4%
	223	2230	020	1	27	4%
	223	1317	002	28	27	104%
	223	2420	005	1	27	4%
	223	4410	010	2	27	7%
	223	4410	008	1	27	4%
	223	4420	002	1	27	4%
	223	1117	002	20	27	74%
	223	2420	002	1	27	4%
	223	3420	011	1	27	4%
	223	3420	001	1	27	4%
	223	4399	001	14	27	52%
	223	4420	005	1	27	4%
	223	1183	001	17	27	63%
	223	2420	009	1	27	4%
	223	2230	014	1	27	4%
	223	2420	008	1	27	4%
	223	4410	007	1	27	4%

Number of. Rooms for This Building = 150

J L NIERMAN SCIENCE HALL

154	5305	001	3	63	5%
154	1376	001	25	63	40%
154	3325	001	43	63	68%
154	3302	001	30	63	48%
154	3325	002	31	63	49%
154	4342	001	10	63	16%
154	3302	001	29	63	46%
154	1312	002	11	63	17%

BUILDING NAME / CODE	ROOM	COURSE	SECTION	ENROLL	CAP	% FILL
	154	5326	800	8	63	13%
	154	1112	101	30	63	48%
	154	3323	001	46	63	73%
	154	5412	800	12	63	19%
	251	1312	004	30	142	21%
	251	1312	001	23	142	16%
	251	1405	002	30	142	21%
	251	1311	002	48	142	34%
	251	1311	003	84	142	59%
	251	1111	100	79	142	56%
	251	1311	001	67	142	47%
	251	1111	101	78	142	55%
	251	1112	100	69	142	49%
	251	1312	003	40	142	28%
	251	1312	HR1	7	142	5%
	251	1312	HR2	4	142	3%
	259	3451	001	17	30	57%
	259	5306	001	8	30	27%
	259	5306	800	8	30	27%
	259	5341	800	7	30	23%
	259	3332	001	11	30	37%
	259	4401	001	6	30	20%
	259	3332	HR1	1	30	3%
	259	3325	003	30	30	100%
	261	4341	001	15	35	43%

Number of. Rooms for This Building = 33

J R MANNING HALL

	140	4307	800	3	36	8%
	140	1303	001	33	36	92%
	140	1303	003	35	36	97%
	140	5310	801	5	36	14%
	140	2376	800	10	36	28%
	140	4327	001	37	36	103%
	140	1304	001	14	36	39%
	140	5306	001	5	36	14%

BUILDING NAME / CODE	ROOM	COURSE	SECTION	ENROLL	CAP	% FILL
	140	1303	002	36	36	100%
	140	1301	002	29	36	81%
	140	2325	800	23	36	64%
	140	4429	001	22	36	61%
	140	3305	001	14	36	39%
	142	1302	001	21	30	70%
	142	1302	002	18	30	60%
	142	1102	101	15	30	50%
	142	1102	100	21	30	70%
	142	1101	100	24	30	80%
	142	1301	001	29	30	97%
	142	1101	101	24	30	80%
	142	5312	001	10	30	33%
	142	4420	800	19	30	63%
	142	1301	003	12	30	40%
	142	1301	001	17	30	57%
	142	1301	002	31	30	103%
	142	3411	800	12	30	40%
	144	4329	002	26	38	68%
	210	4320	001	15	54	28%
	210	3320	001	23	54	43%
	210	3320	001	25	54	46%
	210	3381	002	19	54	35%
	210	3314	001	44	54	81%
	210	3381	002	20	54	37%
	210	1306	001	37	54	69%
	210	2361	001	12	54	22%
	210	4302	001	44	54	81%
	210	4308	001	30	54	56%
	210	4320	001	21	54	39%
	210	5305	001	1	54	2%
	210	5306	001	2	54	4%
	210	5306	001	2	54	4%
	220	2325	001	31	44	70%
	220	4329	001	35	44	80%
	220	4382	001	16	44	36%

BUILDING NAME / CODE	ROOM	COURSE	SECTION	ENROLL	CAP	% FILL
	220	4336	001	40	44	91%
	220	4341	001	45	44	102%
	220	2361	003	21	44	48%
	220	4382	001	14	44	32%
	220	2308	001	45	44	102%
	220	4312	001	42	44	95%
	224	3322	001	23	44	52%
	224	4323	001	40	44	91%
	224	5305	003	1	44	2%
	224	4312	001	26	44	59%
	224	3322	001	22	44	50%
	224	2361	002	35	44	80%
	224	5306	003	4	44	9%
	226	4326	001	11	26	42%
	226	5305	004	2	26	8%
	226	5340	800	17	26	65%
	226	5336	001	23	26	88%
	226	5315	800	7	26	27%
	226	2333	800	24	26	92%
	226	4324	001	13	26	50%
	226	4345	001	17	26	65%
	226	4643	001	9	26	35%
	226	4347	001	18	26	69%
	228	4341	001	52	44	118%
	228	5306	004	1	44	2%
	228	5303	800	12	44	27%
	228	2302	002	41	44	93%
	228	2302	001	39	44	89%
	228	2301	002	42	44	95%
	228	1201	002	19	44	43%
	228	1301	005	42	44	95%
	228	1301	004	44	44	100%
	232	4348	001	43	43	100%
	232	3381	001	21	43	49%
	232	3381	001	20	43	47%
	232	1201	003	17	43	40%

BUILDING NAME / CODE	ROOM	COURSE	SECTION	ENROLL	CAP	% FILL
	232	1301	001	43	43	100%
	232	1301	003	42	43	98%
	232	2301	004	45	43	105%
	240	4322	001	42	31	135%
	240	4321	001	30	31	97%
	240	5333	001	18	31	58%
	240	3305	001	30	31	97%
	240	3325	001	31	31	100%
	250	4305	001	19	46	41%
	250	2301	003	44	46	96%
	250	4325	001	42	46	91%
	250	5309	001	7	46	15%
	250	1301	002	49	46	107%
	250	4362	001	43	46	93%
	250	2301	001	44	46	96%
	250	2306	001	23	46	50%
	250	2306	002	20	46	43%
	250	5304	001	21	46	46%
	250	2301	800	29	46	63%
	250	2306	001	22	46	48%
	250	2306	002	23	46	50%
	250	4305	001	19	46	41%

Number of Rooms for This Building = 102

J W HOWE AGRICULTURE LA

	155	5352	001	8	24	33%
	155	6397	001	6	24	25%
	155	3313	825	21	24	88%
	155	5306	001	15	24	63%
	155	3352	001	30	24	125%
	155	3321	001	25	24	104%
	155	6387	001	5	24	21%
	155	3309	800	12	24	50%
	155	5306	800	7	24	29%
	155	3313	100	18	24	75%
	155	5306	801	3	24	13%

BUILDING NAME / CODE	ROOM	COURSE	SECTION	ENROLL	CAP	% FILL
----------------------	------	--------	---------	--------	-----	--------

	155	4171	001	16	24	67%
--	-----	------	-----	----	----	-----

Number of. Rooms for This Building = 12

KARR VETERANS MEMORIAL

	101	2305	100	2	36	6%
	101	2305	001	2	36	6%
	102	4306	001	3	47	6%
	102	2306	001	15	47	32%
	102	1305	001	14	47	30%
	102	3306	001	11	47	23%
	102	2306	100	15	47	32%
	102	1306	001	15	47	32%
	102	1306	100	15	47	32%
	102	4306	100	3	47	6%

Number of. Rooms for This Building = 10

KLEBERG BUILDING FOR AG

	102	3313	001	39	86	45%
	102	2317	001	48	86	56%
	102	3385	001	34	86	40%
	102	3335	001	24	86	28%
	102	4305	HR1	1	86	1%
	102	1419	001	38	86	44%
	102	1419	100	20	86	23%
	102	3305	100	18	86	21%
	102	1352	001	34	86	40%
	102	1419	101	18	86	21%
	102	4305	001	13	86	15%
	122	3309	825	12	34	35%
	122	3995	001	1	34	3%
	122	6395	002	5	34	15%
	122	4171	002	11	34	32%
	122	4171	003	10	34	29%
	122	5306	004	9	34	26%
	122	5306	003	3	34	9%
	122	1201	001	24	34	71%

BUILDING NAME / CODE	ROOM	COURSE	SECTION	ENROLL	CAP	% FILL
	122	4307	001	10	34	29%
	122	3350	001	17	34	50%
	122	5306	003	10	34	29%
	122	2307	001	12	34	35%
	122	6999	001	9	34	26%
	122	5306	005	8	34	24%
	126	4385	100	10	26	38%
	126	2310	100	14	26	54%
	126	2310	001	14	26	54%
	126	5336	001	5	26	19%
	126	3390	001	18	26	69%
	126	5390	001	2	26	8%
	126	4385	001	10	26	38%
	126	5390	002	3	26	12%
	126	5351	001	6	26	23%
	126	3325	001	30	26	115%
	126	3390	001	17	26	65%

Number of. Rooms for This Building = 36

LON C. HILL HALL

	102	5390	400	1	40	3%
	102	3362	001	4	40	10%
	102	4390	800	9	40	23%
	102	4390	401	1	40	3%
	102	4390	400	1	40	3%
	102	4390	ECP	7	40	18%
	102	4390	801	3	40	8%
	102	4353	400	5	40	13%
	102	4390	EC2	2	40	5%
	102	3333	001	4	40	10%
	117	1305	001	14	79	18%
	117	3343	001	1	79	1%
	117	1302	002	15	79	19%
	117	2326	002	44	79	56%
	117	2326	001	48	79	61%
	119	2325	002	36	100	36%

BUILDING NAME / CODE	ROOM	COURSE	SECTION	ENROLL	CAP	% FILL
	119	1375	001	33	100	33%
	119	2325	001	37	100	37%
	119	1302	001	22	100	22%
	119	1303	001	40	100	40%
	119	1303	001	33	100	33%
	119	1303	600	62	100	62%
	119	2325	003	36	100	36%

Number of. Rooms for This Building = 23

ROBERT B. COUSINS HALL

	121	5300	400	4	80	5%
	121	5301	900	27	80	34%
	121	5320	800	1	80	1%

Number of. Rooms for This Building = 3

ROBERT C. ECKHARDT HALL

	153	0300	009	24	24	100%
	153	0300	008	23	24	96%
	153	0300	010	24	24	100%
	153	0300	003	24	24	100%
	153	0300	004	24	24	100%
	153	0300	001	21	24	88%
	153	0300	801	23	24	96%
	153	0300	800	25	24	104%
	153	0300	002	24	24	100%
	158	0300	009	21	24	88%
	158	0300	003	23	24	96%
	158	0300	008	21	24	88%
	158	0300	001	19	24	79%
	158	0300	800	21	24	88%
	158	0300	007	22	24	92%
	158	0300	002	22	24	92%
	158	0300	004	22	24	92%
	160	0301	002	22	24	92%
	160	0301	003	19	24	79%
	160	0301	004	18	24	75%

BUILDING NAME / CODE	ROOM	COURSE	SECTION	ENROLL	CAP	% FILL
	160	0301	009	22	24	92%
	160	0301	008	22	24	92%
	160	0301	007	22	24	92%
	160	0301	001	19	24	79%
	160	0301	005	22	24	92%
	162	0300	003	22	24	92%
	162	0300	004	22	24	92%
	162	0300	002	23	24	96%
	162	0300	001	24	24	100%
	162	0300	801	16	24	67%
	162	0300	007	22	24	92%
	162	0300	006	22	24	92%
	162	0300	007	22	24	92%
	162	0300	003	22	24	92%
	162	0300	801	16	24	67%
	162	0300	008	22	24	92%
	162	0300	008	22	24	92%
	162	0300	006	22	24	92%
	162	0300	004	22	24	92%
	162	0300	002	23	24	96%
	253	0300	012	24	24	100%
	253	0300	005	24	24	100%
	253	0300	011	24	24	100%
	253	0300	006	24	24	100%
	258	0300	801	22	24	92%
	258	0300	006	23	24	96%
	258	0300	005	23	24	96%
	260	0301	012	23	24	96%
	260	0301	010	23	24	96%
	260	0301	013	21	24	88%
	260	0301	006	20	24	83%
	260	0301	014	19	24	79%
	260	0301	800	16	24	67%
	260	0301	011	17	24	71%
	260	0301	801	16	24	67%
	262	0300	009	22	24	92%

BUILDING NAME / CODE	ROOM	COURSE	SECTION	ENROLL	CAP	% FILL
	262	0300	009	22	24	92%
	262	0300	005	21	24	88%
	262	0300	010	24	24	100%
	262	0300	800	23	24	96%
	262	0300	800	23	24	96%
	262	0300	010	24	24	100%
	262	0300	005	21	24	88%

Number of Rooms for This Building = 63

ROBERT D RHODE HALL

104	3318	001	20	28	71%
104	5301	600	7	28	25%
104	5357	701	11	28	39%
104	5385	600	6	28	21%
104	1301	002	11	28	39%
104	5310	600	10	28	36%
104	3310	001	20	28	71%
104	5341	600	20	28	71%
104	5321	900	15	28	54%
104	5312	600	11	28	39%
104	5391	600	35	28	125%
104	5310	600	26	28	93%
104	5301	601	6	28	21%
104	5311	800	24	28	86%
105	5312	900	12	26	46%
105	5336	900	13	26	50%
105	5345	600	11	26	42%
105	5384	600	9	26	35%
105	5301	600	24	26	92%
105	5315	900	14	26	54%
105	5357	702	8	26	31%
105	5305	700	8	26	31%
105	3302	001	11	26	42%
105	3302	002	12	26	46%
105	3362	001	16	26	62%
106	5383	600	16	32	50%

BUILDING NAME / CODE	ROOM	COURSE	SECTION	ENROLL	CAP	% FILL
	106	5320	600	8	32	25%
	106	5315	600	9	32	28%
	106	5382	600	21	32	66%
	106	5303	600	9	32	28%
	106	5357	700	9	32	28%
	106	5305	600	10	32	31%
	106	6397	900	12	32	38%
	106	6398	001	8	32	25%
	106	5302	600	19	32	59%
	106	2301	013	14	32	44%
	106	2310	902	20	32	63%
	106	5305	600	11	32	34%
	107	3333	001	14	26	54%
	107	5324	800	9	26	35%
	107	6398	004	4	26	15%
	107	3333	002	15	26	58%
	107	6398	002	8	26	31%
	107	5305	601	10	26	38%
	107	6392	900	13	26	50%
	107	5345	601	10	26	38%
	107	5379	600	17	26	65%
	107	6334	900	11	26	42%
	108	5330	600	13	26	50%
	108	5344	600	10	26	38%
	108	5313	600	16	26	62%
	108	5392	600	4	26	15%
	108	5305	701	12	26	46%
	108	5307	600	18	26	69%
	122	5304	700	2	71	3%
	122	5329	900	16	71	23%
	122	5329	600	18	71	25%
	122	5396	600	7	71	10%
	122	6326	600	3	71	4%
	122	6323	900	1	71	1%
	122	6398	003	7	71	10%
	122	5322	800	8	71	11%

BUILDING NAME / CODE	ROOM	COURSE	SECTION	ENROLL	CAP	% FILL
	123	6331	900	11	12	92%
	123	5305	702	7	12	58%
	124	5357	703	8	22	36%
	124	4314	800	30	22	136%
	124	5372	800	11	22	50%
	124	4330	001	14	22	64%
	124	3321	600	17	22	77%
	124	3314	001	14	22	64%
	124	5305	800	2	22	9%
	125	5349	600	16	26	62%
	125	4320	600	12	26	46%
	125	5333	600	7	26	27%
	125	5323	901	17	26	65%
	125	3328	600	6	26	23%
	126	5367	800	6	26	23%
	126	5320	900	5	26	19%
	126	5374	800	7	26	27%
	126	1301	001	17	26	65%
	126	5375	800	11	26	42%
	126	3344	900	13	26	50%
	126	3361	002	23	26	88%
	126	3332	800	14	26	54%
	210	6372	800	6	26	23%
	210	5305	800	8	26	31%
	210	3332	801	14	26	54%
	210	6393	800	6	26	23%
	210	6332	800	7	26	27%
	210	4316	001	9	26	35%
	211	1348	002	30	35	86%
	211	2413	HR1	1	35	3%
	211	2413	HRL	1	35	3%
	211	2413	001	18	35	51%
	211	3370	001	18	35	51%
	211	4341	800	34	35	97%
	211	3320	002	35	35	100%
	211	2413	004	28	35	80%

BUILDING NAME / CODE	ROOM	COURSE SECTION	ENROLL	CAP	% FILL
	211	2413 002	35	35	100%
	211	1316 002	33	35	94%
	211	2413 003	18	35	51%
	211	2413 104	28	35	80%
	212	2302 001	32	31	103%
	212	2302 006	32	31	103%
	212	4333 001	11	31	35%
	212	1316 005	23	31	74%
	212	5310 001	2	31	6%
	212	2302 005	27	31	87%
	212	3310 002	15	31	48%
	212	4358 900	23	31	74%
	212	6399 800	1	31	3%
	212	4333 001	4	31	13%
	212	5330 800	9	31	29%
	213	4303 800	17	39	44%
	213	3415 002	19	39	49%
	213	1342 001	12	39	31%
	213	1342 002	17	39	44%
	213	5343 001	6	39	15%
	213	4301 001	34	39	87%
	213	4341 801	15	39	38%
	213	1314 009	25	39	64%
	213	5390 800	3	39	8%
	213	1325 001	30	39	77%
	215	1324 001	26	26	100%
	215	4391 901	27	26	104%
	215	1348 001	20	26	77%
	215	5306 001	1	26	4%
	215	1350 001	18	26	69%
	215	1316 003	36	26	138%
	215	1351 001	14	26	54%
	247	6373 800	7	26	27%
	247	6302 800	7	26	27%
	247	6398 800	9	26	35%
	247	5360 900	20	26	77%

BUILDING NAME / CODE	ROOM	COURSE	SECTION	ENROLL	CAP	% FILL
	247	3348	001	3	26	12%
	249	4307	001	1	26	4%
	249	4354	001	3	26	12%
	249	5305	800	3	26	12%
	249	5335	800	9	26	35%
	249	4391	900	13	26	50%
	307	2301	010	37	37	100%
	307	2302	008	12	37	32%
	307	2302	009	28	37	76%
	307	2302	800	12	37	32%
	307	3302	900	14	37	38%
	307	2301	012	35	37	95%
	307	4324	800	10	37	27%
	307	1314	010	28	37	76%
	307	2301	002	16	37	43%
	307	2301	009	14	37	38%
	308	1314	003	24	134	18%
	308	1348	003	15	134	11%
	308	3320	001	51	134	38%
	308	3415	101	52	134	39%
	308	1316	004	35	134	26%
	308	4335	001	61	134	46%
	308	1316	001	28	134	21%
	309	1314	008	40	63	63%
	309	1314	004	38	63	60%
	309	1314	002	27	63	43%
	309	1314	001	20	63	32%
	309	1314	007	35	63	56%
	309	1314	006	39	63	62%
	309	4303	001	31	63	49%
	309	1201	002	29	63	46%
	309	4303	HR1	1	63	2%
	309	1325	800	16	63	25%
	310	5365	001	2	39	5%
	310	4301	001	15	39	38%
	310	1301	010	35	39	90%

BUILDING NAME / CODE	ROOM	COURSE	SECTION	ENROLL	CAP	% FILL
	310	1301	002	36	39	92%
	310	1301	007	33	39	85%
	310	1301	001	36	39	92%
	310	1301	600	24	39	62%
	310	2321	001	35	39	90%
	310	1302	600	15	39	38%
	310	1301	004	33	39	85%
	320	4346	001	28	24	117%
	320	1302	003	33	24	138%
	320	5346	800	1	24	4%
	320	1302	004	33	24	138%
	320	1301	011	34	24	142%
	320	4346	800	15	24	63%
	320	5330	001	2	24	8%
	320	4348	001	15	24	63%
	320	2302	002	35	24	146%
	320	1301	013	33	24	138%
	320	2301	005	28	24	117%
	321	5341	800	6	29	21%
	321	4340	800	8	29	28%
	323	5305	800	1	21	5%
	323	5340	001	2	21	10%
	323	4351	001	17	21	81%
	323	5300	800	2	21	10%
	323	4322	800	1	21	5%
	323	4370	800	9	21	43%
	332	2301	003	18	79	23%
	332	2301	008	22	79	28%
	332	2301	006	35	79	44%
	332	2302	003	35	79	44%
	332	2301	004	23	79	29%
	332	2302	007	34	79	43%
	332	2302	004	35	79	44%
	332	2302	600	30	79	38%
	332	4314	001	18	79	23%
	332	2301	007	33	79	42%

BUILDING NAME / CODE	ROOM	COURSE	SECTION	ENROLL	CAP	% FILL
	332	2301	800	16	79	20%
	332	5360	002	1	79	1%
	333	2414	002	13	76	17%
	333	1334	001	21	76	28%
	333	1325	002	49	76	64%
	333	2413	101	18	76	24%
	333	4301	800	23	76	30%
	333	5390	801	8	76	11%
	333	2414	003	40	76	53%
	333	2414	001	31	76	41%
	333	3415	001	52	76	68%
	342	1301	009	35	36	97%
	342	1302	010	35	36	97%
	342	1302	012	24	36	67%
	342	1302	005	34	36	94%
	342	4370	001	9	36	25%
	342	5312	001	5	36	14%
	342	1302	002	35	36	97%
	342	1301	012	30	36	83%
	342	5330	002	3	36	8%
	342	4336	001	12	36	33%
	342	1302	001	35	36	97%
	343	1302	013	21	40	53%
	343	1302	008	35	40	88%
	343	2322	001	33	40	83%
	343	1302	006	26	40	65%
	343	1302	007	31	40	78%
	343	1301	003	32	40	80%
	343	1301	006	35	40	88%
	343	1302	011	34	40	85%
	343	2322	002	25	40	63%

Number of Rooms for This Building = 237

SAM FORE JR. HALL

	102	3321	900	6	32	19%
	102	1301	004	30	32	94%

BUILDING NAME / CODE	ROOM	COURSE	SECTION	ENROLL	CAP	% FILL
	102	1302	012	30	32	94%
	102	1312	001	21	32	66%
	102	2312	001	14	32	44%
	102	1301	003	30	32	94%
	102	1311	001	34	32	106%
	102	2362	002	31	32	97%
	102	1302	800	25	32	78%
	104	1373	001	23	42	55%
	104	5306	802	2	42	5%
	104	4327	800	18	42	43%
	104	1302	005	30	42	71%
	104	5320	800	6	42	14%
	104	1302	010	30	42	71%
	106	5360	800	8	51	16%
	106	2342	002	26	51	51%
	106	5306	801	4	51	8%
	106	2362	003	33	51	65%
	106	2342	001	35	51	69%
	106	1302	007	30	51	59%
	106	1301	010	27	51	53%
	106	4370	001	25	51	49%
	106	2342	003	16	51	31%
	106	1302	003	30	51	59%
	106	2331	001	11	51	22%
	202	1302	011	31	30	103%
	202	1301	008	30	30	100%
	202	3300	001	23	30	77%
	202	1301	005	30	30	100%
	202	2362	800	23	30	77%
	202	1302	008	31	30	103%
	202	1301	006	30	30	100%
	202	1302	009	29	30	97%
	202	1301	002	30	30	100%
	202	1301	007	29	30	97%
	202	2342	900	34	30	113%
	202	1301	009	28	30	93%

BUILDING NAME / CODE	ROOM	COURSE SECTION	ENROLL	CAP	% FILL
	202	1302 013	30	30	100%
	206	2362 001	27	49	55%
	206	4320 002	20	49	41%
	206	1302 002	29	49	59%
	206	1302 004	30	49	61%
	206	4311 001	30	49	61%
	206	1302 001	32	49	65%
	206	5320 001	4	49	8%
	206	2301 001	17	49	35%
	206	5306 800	1	49	2%
	206	1301 011	15	49	31%
	208	5306 800	1	44	2%
	208	5300 001	7	44	16%
	208	2302 001	19	44	43%
	208	2362 900	34	44	77%
	208	1314 002	23	44	52%
	208	3302 001	11	44	25%
	208	2362 005	22	44	50%
	210	1313 002	25	30	83%
	210	4320 001	1	30	3%
	210	1313 001	27	30	90%
	210	2311 001	21	30	70%
	210	2312 001	11	30	37%
	210	6360 800	1	30	3%
	210	3321 001	11	30	37%

Number of Rooms for This Building = 63

Total Number of Rooms = 1115

